Response To

Notice Of Non-Corporation Amendment Serial No.: 09/652,648

Art Unit: 3635

ATTACHED APPENDIX 5 PAGES 3 CLAIMS

1	Claim 1 (cu	rrently amended): A demountable and reusable wall
2	assembly for parti	tioning a room space between an overhead and a floor
3	comprising:	
4	(a)	a plurality of panels having edges at the extremities,
5	(b)	a plurality of studs for supporting the panels,
6	(c)	a plurality of long-term removeable fasteners,
7	(d)	a tape, and
8	(e)	a tab associated with the tape,
9		the panels are affixed to the studs at the panel edges to
10		form a seam, the long-term, removable fasteners secure
11		the adjacent panels to the studs,
12		the seam and long-term removable fasteners are covered
13		with the tape and covered with a mud compound, the
14		tape is sufficiently strong to be removed, when the wall
15		assembly is demounted as a single piece, in unison, and
16		the tape may be removed as a single piece by pulling the
17		tab, as the tab is pulled, the tape and the mud compound
18		is disengaged disengage from the panels thereby
19		exposing the long-term removable fasteners such that the
20		long-term removable fasteners are ean be easily removed
21		and the panels and studs disassembled, the heads of the
22		long-term removable fasteners are kept clean for easy
23		engagement and removal and the tape is sufficiently
24		unporous to prevent the mud compound from
25		penetrating through the tape to fill the heads of the
26		long-term fasteners.

1	Claim 2 (currently amended): A demountable and reusable wall		
2	assembly for parti	tioning a room space between an overhead and a floor	
3	comprising:	•	
4	(a)	a plurality of panels having edges at the extremities,	
5	(b)	a plurality of studs for supporting the panels,	
6 ·	(c)	a plurality of long-term removeable fasteners,	
7	(d)	a tape,	
8	(e)	a tab associated with the tape, and	
9	(f)	a releasable adhesive,	
10		the panels are affixed to the studs at the panel edges to	
11		form a seam, the long-term, removable fasteners secure	
12		the adjacent panels to the studs,	
13		the seam and long-term removable fasteners are covered	
14		with the tape and covered with a mud compound, the	
15	•	tape is sufficiently strong to be removed, when the wall	
16		assembly is demounted, as a single piece, in unison, and	
17		the tape may be removed as a single piece by pulling the	
18		tab, as the tab is pulled, the tape and the mud compound	
19		is disengaged disengage from the panels thereby	
20		exposing the long-term removable fasteners such that the	
21		long-term removable fasteners are ean be easily removed	
22		and the panels and studs disassembled, the heads of the	
23		long-term removable fasteners are kept clean for easy	
24		engagement and removal and the tape is sufficiently	
25		unporous to prevent the mud compound from	
26		penetrating through the tape to fill the heads of the	

long-term fasteners, the panels are also affixed to the studs not at the panel edges using the releasable adhesive.

1	Claim 3 (cu	rrently amended): A demountable and reusable wall
2	assembly for part	itioning a room space between an overhead and a floor
3	comprising:	
4	(a)	a plurality of panels having edges at the extremities,
5	(b)	a plurality of studs for supporting the panels,
6	(c)	a plurality of long-term removeable fasteners,
7	(d)	a tape,
8	(e)	a tab associated with the tape, and
9	(f)	a releasable adhesive,
10		the panels are affixed to the studs at the panel edges to
11		form a seam, the long-term, removable fasteners secure
12		the adjacent panels to the studs,
13		the seam and the long-term removable fasteners are
14		covered with the tape and covered with a mud
15		compound, the tape is sufficiently strong to be removed,
16		when the wall assembly is demounted as a single piece,
17		in unison, and the tape may be removed as a single piece
18		by pulling the tab, as the tab is pulled, the tape and the
19		mud compound is disengaged disengage from the panels
20		thereby exposing the long-term removable fasteners such
21		that the long-term removable fasteners are ean be easily
22		removed and the panels and studs disassembled, the
23		heads of the long-term removable fasteners are kept
24		clean for easy engagement and removal and the tape is
25		sufficiently unporous to prevent the mud compound

from penetrating through the tape to fill the heads of the 26 long-term fasteners, further, 27 the panels are also affixed to the studs not at the panel 28 edges using the long-term, removable fasteners to secure 29 the middle portion of the panels to the studs intermediate 30 of the extremities of the panel, and the long-term 31 removable fasteners are covered with the tape and 32 covered with a mud compound, the tape is sufficiently 33 strong to be removed, when the wall assembly is 34 demounted as a single piece, in unison, and the tape may 35 be removed as a single piece by pulling the tab, as the 36 tab is pulled, the tape and the mud compound is 37 disengaged disengage from the panel thereby exposing 38 the long-term removable fasteners such that the 39 long-term removable fasteners are ean be easily removed 40 and the panels and studs disassembled. 41